7270096/2023/VIG-I-PRR01

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

PUBLIC SERVICES – PR&RD. Department – Allegations of irregularities in execution of work "Construction of road from Sirikonda Obbangi to Yeguva Dombangivalasa village, Poothikavalasa Panchayat, Seethampeta (M) of Srikakulam District" - Departmental proceedings against Sri G. Krishna Murthy, the then Assistant Executive Engineer, PIU Sub-Division, Palakonda (Retired on 30.04.2021) under Rule 20 of APCS (CC&A) Rules, 1991 – Article of Charges – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.185

Dated:18.04.2023.

Read :-

G.O.Ms.No. 24 , PR&RD (Vig.I) Department, Dt.18.04.2023.

ORDER:-

In pursuance of the sanction accorded by the Government under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of the Revised Pension Rules, 1980 for instituting departmental proceedings against Sri G. Krishna Murthy, the then Assistant Executive Engineer, PIU Sub-Division, Palakonda (Retired on 30.04.2021) vide reference read above, it is proposed to hold an enquiry against the said Sri G. Krishna Murthy, the then Assistant Executive Engineer, PIU Sub-Division, Palakonda (Retired) in accordance with the procedure laid down in Rule 20 of the A.P. Civil Services [Classification, Control and Appeal], 1991.

2. The substance of the imputations of misconduct or mis-behaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charge (Annexure-I). A statement of the imputations of misconduct or misbehavior in support of the article of charge is enclosed [Annexure-II]. A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed [Annexure III & IV].

3. Sri G. Krishna Murthy, Assistant Executive Engineer,PR (Retired) is directed to submit written statement of defence within (10) days of the receipt of this order.

4. Sri G. Krishna Murthy, Assistant Executive Engineer, PR (Retired) is informed that an enquiry will be held only in respect of those article of charges, which are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri G. Krishna Murthy, Assistant Executive Engineer, PR (Retired) is further informed that if he does not submit his written statement of defence on or before the date specified in Para-3 above, or does not appear in person before the inquiring authority or otherwise fails or refuses to comply with the provisions of Rule 20 of the A.P.C.S. [CC&A] Rules, 1991, or the orders/directions issued in pursuance of the said rules, the inquiring authority may hold the inquiry against him exparte.

(P.T.O)

7270096/2023/VIG-I-PRR01

6. The receipt of this G.O. may be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

B. RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri G. Krishna Murthy, the then Assistant Executive Engineer,
PIU Sub-Division, Palakonda, erstwhile Srikaulam District
and presently Parvatipuram Manyam District (Retired)
through the Engineer-in-Chief, Panchayat Raj, AP, Vijayawada, (with a request to serve the same on the C.O. and furnish the acknowledgment copy]

Copy to:-
The Secretary to VC, A.P.V.C, Velagapudi.
The PR&RD (Estt.I) Department.
The OSD to Hon'ble Dy.C.M for PR&RD.,
The PS to Spl.CS to Govt, PR&RD. Dept.,
SF/SC.

//FORWARDED :: BY ORDER //

SECTION OFFICER

7270096/2023/VIG-I-PRR01

ANNEXURE-I

Statement showing the Draft Article of Charges against Sri G.Krishna Murthy, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021)

.o0o.

Charge-I

That **Sri G.Krishna Murthy**, Assistant Executive Engineer, PR (Retired on 30-04-2021) while he was working as Assistant Executive Engineer, PIU Sub-Division, Palakonda had committed certain allegation of irregularities in execution of work " Construction of road from Sirikonda Obbangi to Yeguva Dombangivalasa village, Poothikavalasa Panchayat, Seethampeta (M) of Srikakulam District and he had (i) recorded quantity in M.Book without actual execution of granular sub-base(GSB-III) (ii) he executed Wet Mix Macadam under CC road with deficiency in thickness, and (iii) he executed CC road with deficiency in thickness, (iv) he executed CC road wearing coat with deficiency in thickness, (v) he executed CC road with inferior quality and (vi) he executed CC road wearing coat with inferior quality.

By his above mentioned acts, **Sri G.Krishna Murthy**, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021 failed to discharge his duties, exhibited lack of integrity, not shown devotion to duty and exhibited conduct unbecoming of a Government servant and thereby contravened Rule 3(1) and 3 (2) and 3(5) of APCS (Conduct) Rules,1964.

B. RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER

7270096/2023/VIG-I-PRR01

ANNEXURE-II

Statement of imputations of misconduct in support of Article of Charges framed against Sri G.Krishna Murthy, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021.

.o0o.

The General Administration (V&E) Department in VR No.16-(C.No.1079/V&E/ENGG/2020-1) dated.30.06.2022 Director General, V&E Dept. have enquired into the allegations in the petition received from Sri Padala Murali, Palakonda (M) of Erstwhile Srikakulam district now in Parvathipuram Manyam district, pertaining to the construction of road from Sirikonda Obbangi to Yeguva Dombangi valasa village Poothikavalasa Panchayat, Seethampeta(M) of Srikakulam dist at an estimated cost of Rs.55.00 lakhs I Phase and Rs.10. lakhs in II Phase under MGNREGS grants pertaining to ITDA Seethampeta executed by Panchayati Raj Engineering Department, Palakonda Division, erstwhile Srikakulam district now in Parvathipuram Manyam district and Lapses for which he is responsible are tabulated below.

S.No	Name of the Officer designation &present place of working	Lapses observed
1	**Sri G.Krishna Murthy**, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021)	1. Without actual execution of granular sub-base(GSB-III) he recorded the quantity in M.Book. 2. He executed Wet Mix Macadam under CC road with deficiency in thickness. 3. He executed CC road with deficiency in thickness. 4. He executed CC road wearing coat with deficiency in thickness. 5. He executed CC road with inferior quality. 6. He executed CC road wearing coat with inferior quality

As seen from the findings of the V&E, **Sri G.Krishna Murthy**, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021 failed to ensure the required quality of work and recorded the quantity in M.Book without actual execution of granular sub-base(GSBIII) and executed Wet Mix Macadam under CC road with deficiency in thickness etc.,

By his above mentioned act, **Sri G.Krishna Murthy**, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021) shown lack of integrity and for not taking all possible steps to ensure the integrity and devotion to duty of Government servants, for the time being under his control and authority and exhibited conduct unbecoming of a Govt. Servant and thereby contravened Rules 3(1) and 3(2) of APCS (Conduct) Rules, 1964.

Hence, the charge.

B. RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER

7270096/2023/VIG-I-PRR01

ANNEXURE-III

List of documents by which the article of charges are framed against Sri G.Krishna Murthy, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021)

.o0o.

Vigilance Report No.16(C.No.1079/V&E/EWngtg/2020-1)date.30-06-2022 of D.G, G.A(V&E) Dept.

B. RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE- IV

List of witnesses by whom the article of charges framed against Sri G.Krishna Murthy, Assistant Executive Engineer, PIU Sub Division Palakonda (Retired on 30-04-2021)

.o0o.

NIL

B. RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER